



arches



Melton Classics arches are available in sizes from 24" up to 48" as one complete half round. Sizes 52" and up will come as two 100 degree arcs. Melton Classics arches are made as true half rounds with 3" extensions on the bottom. This allows our arches to be adjusted to height on the job-site to fit all half round windows. This holds true throughout our line except for 150-330, 150-335, 150-310 & 150-315 which do not have the extensions. We also provide a pair of "shoes" with each arch, which can be used to transition from a straight moulding to the arch.

Keystone Addition

To add a keystone to the arches, see page 51 for our keystone collection.

Example: To add a 1155-110 keystone to a 150-170-36 arch, use order no. 150-170-36/1155-110. Add the cost of the keystone plus a list price assembly charge.

Numbering System

Example WITHOUT Keystone:


Arch No. 150-130-24

Arch - Style - Width


150 130 24"

ARCHES


Melton Classics Arches sizes 52" and up will come as (2) 100 degree arcs to be fit together in the field.



Measure the Radius from the inside edge of the moulding.



Measure the Radius from the inside edge of the moulding.



Please Fax your request to our Quote Department

Melton Classics can customize arches to meet your needs. Please fax in your request to our Quote Department.

When faxing in your request for a quote, please include the molding number or profile number along with the inside radius of the Arch/Eyebrow segment that is desired.



ARCHES

arches


Size (I.D.)	PART NUMBER					
	150-100	150-110	150-120	150-130	150-140	150-150
24"	150-100-24	150-110-24	150-120-24	150-130-24	150-140-24	150-150-24
25 5/8"	150-100-25	150-110-25	150-120-25	150-130-25	150-140-25	150-150-25
28"	150-100-28	150-110-28	150-120-28	150-130-28	150-140-28	150-150-28
29 5/8"	150-100-29	150-110-29	150-120-29	150-130-29	150-140-29	150-150-29
30"	150-100-30	150-110-30	150-120-30	150-130-30	150-140-30	150-150-30
32"	150-100-32	150-110-32	150-120-32	150-130-32	150-140-32	150-150-32
33 5/8"	150-100-33	150-110-33	150-120-33	150-130-33	150-140-33	150-150-33
36"	150-100-36	150-110-36	150-120-36	150-130-36	150-140-36	150-150-36
37 5/8"	150-100-37	150-110-37	150-120-37	150-130-37	150-140-37	150-150-37
40"	150-100-40	150-110-40	150-120-40	150-130-40	150-140-40	150-150-40
41 5/8"	150-100-41	150-110-41	150-120-41	150-130-41	150-140-41	150-150-41
42"	150-100-42	150-110-42	150-120-42	150-130-42	150-140-42	150-150-42
44"	150-100-44	150-110-44	150-120-44	150-130-44	150-140-44	150-150-44
48"	150-100-48	150-110-48	150-120-48	150-130-48	150-140-48	150-150-48
52"	150-100-52	150-110-52	150-120-52	150-130-52	150-140-52	150-150-52
56"	150-100-56	150-110-56	150-120-56	150-130-56	150-140-56	150-150-56
60"	150-100-60	150-110-60	150-120-60	150-130-60	150-140-60	150-150-60
64"	150-100-64	150-110-64	150-120-64	150-130-64	150-140-64	150-150-64
66"	150-100-66	150-110-66	150-120-66	150-130-66	150-140-66	150-150-66
68"	150-100-68	150-110-68	150-120-68	150-130-68	150-140-68	150-150-68
72"	150-100-72	150-110-72	150-120-72	150-130-72	150-140-72	150-150-72
76"	150-100-76	150-110-76	150-120-76	150-130-76	150-140-76	150-150-76
78"	150-100-78	150-110-78	150-120-78	150-130-78	150-140-78	150-150-78
80"	150-100-80	150-110-80	150-120-80	150-130-80	150-140-80	150-150-80
84"	150-100-84	150-110-84	150-120-84	150-130-84	150-140-84	150-150-84
88"	150-100-88	150-110-88	150-120-88	150-130-88	150-140-88	150-150-88
90"	150-100-90	150-110-90	150-120-90	150-130-90	150-140-90	150-150-90
92"	150-100-92	150-110-92	150-120-92	150-130-92	150-140-92	150-150-92
96"	150-100-96	150-110-96	150-120-96	150-130-96	150-140-96	150-150-96
108"	150-100-108	150-110-108	150-120-108	150-130-108	150-140-108	150-150-108
120"	150-100-120	150-110-120	150-120-120	150-130-120	150-140-120	150-150-120
156"	150-100-156	150-110-156	150-120-156	150-130-156	150-140-156	150-150-156
192"	150-100-192	150-110-192	150-120-192	150-130-192	150-140-192	150-150-192

NOTE: For arches that do not come standard with a keystone see page 51. Add the cost of a keystone to the arch price and add an attachment fee.

EXAMPLE: To add a 1155-110 keystone to a 150-120-36 arch specify 150-120-36/1155-110.


To find matching mouldings for any of our arches, go to the moulding section and find the corresponding moulding number.

Example: Matching moulding for No. 150-100 Arch. Go to moulding section and find No. 550-100-16 Moulding.




No. 150-100 Arch

Height: 2 1/4" Projection: 5/8"




No. 150-110 Arch

Height: 3 1/4" Projection: 3/4"




No. 150-120 Arch

Height: 5 3/4" Projection: 1 1/8"




No. 150-130 Arch

Height: 9" Projection: 1 7/8"



No. 150-140 Arch

Height: 5" Projection: 7/8"



No. 150-150 Arch

Height: 5" Projection: 1 1/8"



ARCHES

arches


Size (I.D.)	PART NUMBER					
	150-160	150-170	150-190	150-195	150-200	150-210
24"	150-160-24	150-170-24	150-190-24	150-195-24	150-200-24	150-210-24
25 5/8"	150-160-25	150-170-25	150-190-25	150-195-25	150-200-25	150-210-25
28"	150-160-28	150-170-28	150-190-28	150-195-28	150-200-28	150-210-28
29 5/8"	150-160-29	150-170-29	150-190-29	150-195-29	150-200-29	150-210-29
30"	150-160-30	150-170-30	150-190-30	150-195-30	150-200-30	150-210-30
32"	150-160-32	150-170-32	150-190-32	150-195-32	150-200-32	150-210-32
33 5/8"	150-160-33	150-170-33	150-190-33	150-195-33	150-200-33	150-210-33
36"	150-160-36	150-170-36	150-190-36	150-195-36	150-200-36	150-210-36
37 5/8"	150-160-37	150-170-37	150-190-37	150-195-37	150-200-37	150-210-37
40"	150-160-40	150-170-40	150-190-40	150-195-40	150-200-40	150-210-40
41 5/8"	150-160-41	150-170-41	150-190-41	150-195-41	150-200-41	150-210-41
42"	150-160-42	150-170-42	150-190-42	150-195-42	150-200-42	150-210-42
44"	150-160-44	150-170-44	150-190-44	150-195-44	150-200-44	150-210-44
48"	150-160-48	150-170-48	150-190-48	150-195-48	150-200-48	150-210-48
52"	150-160-52	150-170-52	150-190-52	150-195-52	150-200-52	150-210-52
56"	150-160-56	150-170-56	150-190-56	150-195-56	150-200-56	150-210-56
60"	150-160-60	150-170-60	150-190-60	150-195-60	150-200-60	150-210-60
64"	150-160-64	150-170-64	150-190-64	150-195-64	150-200-64	150-210-64
66"	150-160-66	150-170-66	150-190-66	150-195-66	150-200-66	150-210-66
68"	150-160-68	150-170-68	150-190-68	150-195-68	150-200-68	150-210-68
72"	150-160-72	150-170-72	150-190-72	150-195-72	150-200-72	150-210-72
76"	150-160-76	150-170-76	150-190-76	150-195-76	150-200-76	150-210-76
78"	150-160-78	150-170-78	150-190-78	150-195-78	150-200-78	150-210-78
80"	150-160-80	150-170-80	150-190-80	150-195-80	150-200-80	150-210-80
84"	150-160-84	150-170-84	150-190-84	150-195-84	150-200-84	150-210-84
88"	150-160-88	150-170-88	150-190-88	150-195-88	150-200-88	150-210-88
90"	150-160-90	150-170-90	150-190-90	150-195-90	150-200-90	150-210-90
92"	150-160-92	150-170-92	150-190-92	150-195-92	150-200-92	150-210-92
96"	150-160-96	150-170-96	150-190-96	150-195-96	150-200-96	150-210-96
108"	150-160-108	150-170-108	150-190-108	150-195-108	150-200-108	150-210-108
120"	150-160-120	150-170-120	150-190-120	150-195-120	150-200-120	150-210-120
156"	150-160-156	150-170-156	150-190-156	150-195-156	150-200-156	150-210-156
192"	150-160-192	150-170-192	150-190-192	150-195-192	150-200-192	150-210-192

NOTE: For arches that do not come standard with a keystone see page 51. Add the cost of a keystone to the arch price and add an attachment fee.

EXAMPLE: To add a 1155-110 keystone to a 150-120-36 arch specify 150-120-36/1155-110.


To find matching mouldings for any of our arches, go to the moulding section and find the corresponding moulding number.

Example: Matching moulding for No. 150-100 Arch. Go to moulding section and find No. 550-100-16 Moulding.




No. 150-160 Arch

Height: 5" Projection: 1 1/4"




No. 150-170 Arch

Height: 5 1/2" Projection: 1 5/8"




No. 150-190 Arch

Height: 5 1/2" Projection: 1 3/4"




No. 150-195 Arch

Height: 5 1/2" Projection: 1 3/4"



No. 150-200 Arch

Height: 3 1/2" Projection: 1"




No. 150-210 Arch

Height: 3 1/2" Projection: 1 3/4"


ARCHES

arches


Size (I.D.)	PART NUMBER					
	150-220	150-230	150-240	150-250	150-260	150-270
24"	150-220-24	150-230-24	150-240-24	150-250-24	150-260-24	150-270-24
25 5/8"	150-220-25	150-230-25	150-240-25	150-250-25	150-260-25	150-270-25
28"	150-220-28	150-230-28	150-240-28	150-250-28	150-260-28	150-270-28
29 5/8"	150-220-29	150-230-29	150-240-29	150-250-29	150-260-29	150-270-29
30"	150-220-30	150-230-30	150-240-30	150-250-30	150-260-30	150-270-30
32"	150-220-32	150-230-32	150-240-32	150-250-32	150-260-32	150-270-32
33 5/8"	150-220-33	150-230-33	150-240-33	150-250-33	150-260-33	150-270-33
36"	150-220-36	150-230-36	150-240-36	150-250-36	150-260-36	150-270-36
37 5/8"	150-220-37	150-230-37	150-240-37	150-250-37	150-260-37	150-270-37
40"	150-220-40	150-230-40	150-240-40	150-250-40	150-260-40	150-270-40
41 5/8"	150-220-41	150-230-41	150-240-41	150-250-41	150-260-41	150-270-41
42"	150-220-42	150-230-42	150-240-42	150-250-42	150-260-42	150-270-42
44"	150-220-44	150-230-44	150-240-44	150-250-44	150-260-44	150-270-44
48"	150-220-48	150-230-48	150-240-48	150-250-48	150-260-48	150-270-48
52"	150-220-52	150-230-52	150-240-52	150-250-52	150-260-52	150-270-52
56"	150-220-56	150-230-56	150-240-56	150-250-56	150-260-56	150-270-56
60"	150-220-60	150-230-60	150-240-60	150-250-60	150-260-60	150-270-60
64"	150-220-64	150-230-64	150-240-64	150-250-64	150-260-64	150-270-64
66"	150-220-66	150-230-66	150-240-66	150-250-66	150-260-66	150-270-66
68"	150-220-68	150-230-68	150-240-68	150-250-68	150-260-68	150-270-68
72"	150-220-72	150-230-72	150-240-72	150-250-72	150-260-72	150-270-72
76"	150-220-76	150-230-76	150-240-76	150-250-76	150-260-76	150-270-76
78"	150-220-78	150-230-78	150-240-78	150-250-78	150-260-78	150-270-78
80"	150-220-80	150-230-80	150-240-80	150-250-80	150-260-80	150-270-80
84"	150-220-84	150-230-84	150-240-84	150-250-84	150-260-84	150-270-84
88"	150-220-88	150-230-88	150-240-88	150-250-88	150-260-88	150-270-88
90"	150-220-90	150-230-90	150-240-90	150-250-90	150-260-90	150-270-90
92"	150-220-92	150-230-92	150-240-92	150-250-92	150-260-92	150-270-92
96"	150-220-96	150-230-96	150-240-96	150-250-96	150-260-96	150-270-96
108"	150-220-108	150-230-108	150-240-108	150-250-108	150-260-108	150-270-108
120"	150-220-120	150-230-120	150-240-120	150-250-120	150-260-120	150-270-120
156"	150-220-156	150-230-156	150-240-156	150-250-156	150-260-156	150-270-156
192"	150-220-192	150-230-192	150-240-192	150-250-192	150-260-192	150-270-192




No. 150-220 Arch
Height: 2" Projection: 1 1/4"




No. 150-230 Arch
Height: 3" Projection: 7/8"




No. 150-240 Arch
Height: 3 1/2" Projection: 1"



No. 150-250 Arch
Height: 3 1/2" Projection: 1 1/8"



No. 150-260 Arch
Height: 7 1/4" Projection: 1"



No. 150-270 Arch
Height: 5 1/4" Projection: 1"

NOTE: For arches that do not come standard with a keystone see page 51. Add the cost of a keystone to the arch price and add an attachment fee.

EXAMPLE: To add a 1155-110 keystone to a 150-120-36 arch specify 150-120-36/1155-110.

To find matching mouldings for any of our arches, go to the moulding section and find the corresponding moulding number.


Example: Matching moulding for No. 150-100 Arch. Go to moulding section and find No. 550-100-16 Moulding.



ARCHES


arches

Size (I.D.)	PART NUMBER					
	150-280	150-290	150-300	150-310	150-315	150-320
24"	150-280-24	150-290-24	150-300-24	150-310-24	150-315-24	150-320-24
25 5/8"	150-280-25	150-290-25	150-300-25	150-310-25	150-315-25	150-320-25
28"	150-280-28	150-290-28	150-300-28	150-310-28	150-315-28	150-320-28
29 5/8"	150-280-29	150-290-29	150-300-29	150-310-29	150-315-29	150-320-29
30"	150-280-30	150-290-30	150-300-30	150-310-30	150-315-30	150-320-30
32"	150-280-32	150-290-32	150-300-32	150-310-32	150-315-32	150-320-32
33 5/8"	150-280-33	150-290-33	150-300-33	150-310-33	150-315-33	150-320-33
36"	150-280-36	150-290-36	150-300-36	150-310-36	150-315-36	150-320-36
37 5/8"	150-280-37	150-290-37	150-300-37	150-310-37	150-315-37	150-320-37
40"	150-280-40	150-290-40	150-300-40	150-310-40	150-315-40	150-320-40
41 5/8"	150-280-41	150-290-41	150-300-41	150-310-41	150-315-41	150-320-41
42"	150-280-42	150-290-42	150-300-42	150-310-42	150-315-42	150-320-42
44"	150-280-44	150-290-44	150-300-44	150-310-44	150-315-44	150-320-44
48"	150-280-48	150-290-48	150-300-48	150-310-48	150-315-48	150-320-48
52"	150-280-52	150-290-52	150-300-52	150-310-52	150-315-52	150-320-52
56"	150-280-56	150-290-56	150-300-56	150-310-56	150-315-56	150-320-56
60"	150-280-60	150-290-60	150-300-60	150-310-60	150-315-60	150-320-60
64"	150-280-64	150-290-64	150-300-64	150-310-64	150-315-64	150-320-64
66"	150-280-66	150-290-66	150-300-66	150-310-66	150-315-66	150-320-66
68"	150-280-68	150-290-68	150-300-68	150-310-68	150-315-68	150-320-68
72"	150-280-72	150-290-72	150-300-72	150-310-72	150-315-72	150-320-72
76"	150-280-76	150-290-76	150-300-76	150-310-76	150-315-76	150-320-76
78"	150-280-78	150-290-78	150-300-78	150-310-78	150-315-78	150-320-78
80"	150-280-80	150-290-80	150-300-80	150-310-80	150-315-80	150-320-80
84"	150-280-84	150-290-84	150-300-84	150-310-84	150-315-84	150-320-84
88"	150-280-88	150-290-88	150-300-88	150-310-88	150-315-88	150-320-88
90"	150-280-90	150-290-90	150-300-90	150-310-90	150-315-90	150-320-90
92"	150-280-92	150-290-92	150-300-92	150-310-92	150-315-92	150-320-92
96"	150-280-96	150-290-96	150-300-96	150-310-96	150-315-96	150-320-96
108"	150-280-108	150-290-108	150-300-108	150-310-108	150-315-108	150-320-108
120"	150-280-120	150-290-120	150-300-120	150-310-120	150-315-120	150-320-120
156"	150-280-156	150-290-156	150-300-156	150-310-156	150-315-156	150-320-156
192"	150-280-192	150-290-192	150-300-192	150-310-192	150-315-192	150-320-192




No. 150-280 Arch

Height: 5 1/2" Projection: 1 1/2"




No. 150-290 Arch

Height: 3 1/2" Projection: 1"




No. 150-300 Arch

Height: 7 1/2" Projection: 1"




No. 150-310 Arch

Height: 10" Projection: 2 1/2"



No. 150-315 Arch

Height: 10" Projection: 2 1/2"



No. 150-320 Arch

Height: 2 3/8" Projection: 1 1/2"

NOTE: For arches that do not come standard with a keystone see page 51. Add the cost of a keystone to the arch price and add an attachment fee.

EXAMPLE: To add a 1155-110 keystone to a 150-120-36 arch specify 150-120-36/1155-110.


To find matching mouldings for any of our arches, go to the moulding section and find the corresponding moulding number.

Example: Matching moulding for No. 150-100 Arch. Go to moulding section and find No. 550-100-16 Moulding.

ARCHES


arches

Size (I.D.)	PART NUMBER		
	150-330	150-335	150-180
24"	150-330-24	150-335-24	150-180-24
25 5/8"	150-330-25	150-335-25	150-180-25
28"	150-330-28	150-335-28	150-180-28
29 5/8"	150-330-29	150-335-29	150-180-29
30"	150-330-30	150-335-30	150-180-30
32"	150-330-32	150-335-32	150-180-32
33 5/8"	150-330-33	150-335-33	150-180-33
36"	150-330-36	150-335-36	150-180-36
37 5/8"	150-330-37	150-335-37	150-180-37
40"	150-330-40	150-335-40	150-180-40
41 5/8"	150-330-41	150-335-41	150-180-41
42"	150-330-42	150-335-42	150-180-42
44"	150-330-44	150-335-44	150-180-44
48"	150-330-48	150-335-48	150-180-48
52"	150-330-52	150-335-52	150-180-52
56"	150-330-56	150-335-56	150-180-56
60"	150-330-60	150-335-60	150-180-60
64"	150-330-64	150-335-64	150-180-64
66"	150-330-66	150-335-66	150-180-66
68"	150-330-68	150-335-68	150-180-68
72"	150-330-72	150-335-72	150-180-72
76"	150-330-76	150-335-76	150-180-76
78"	150-330-78	150-335-78	150-180-78
80"	150-330-80	150-335-80	150-180-80
84"	150-330-84	150-335-84	150-180-84
88"	150-330-88	150-335-88	150-180-88
90"	150-330-90	150-335-90	150-180-90
92"	150-330-92	150-335-92	150-180-92
96"	150-330-96	150-335-96	150-180-96
108"	150-330-108	150-335-108	150-180-108
120"	150-330-120	150-335-120	150-180-120
156"	150-330-156	150-335-156	150-180-156
192"	150-330-192	150-335-192	150-180-192




No. 150-330 Arch

Height: 10" Projection: 2 1/2"



No. 150-335 Arch

Height: 10" Projection: 2 1/2"



No. 150-180 Arch

Height: 4 1/4" Projection: 1 1/2"

To find matching mouldings for any of our arches, go to the moulding section and find the corresponding moulding number.

Example: Matching moulding for No. 150-100 Arch. Go to moulding section and find No. 550-100-16 Moulding.

NOTE: For arches that do not come standard with a keystone see page 51. Add the cost of a keystone to the arch price and add an attachment fee.

EXAMPLE: To add a 1155-110 keystone to a 150-120-36 arch specify 150-120-36/1155-110.